

CITY OF CALDWELL DEVELOPMENT SERVICES



COMMERCIAL/NON-RESIDENTIAL/MULTI-FAMILY

BUILDING PERMIT GUIDE

For

NEW CONSTRUCTION AND ADDITIONS

621 Cleveland Boulevard
Caldwell, ID 83605

Phone: (208) 455-3024

Fax: (208) 455-3050



www.cityofcaldwell.com

General Information

This guide outlines the requirements for obtaining a commercial, non-residential or multi-family (triplex and above) building permit for **NEW CONSTRUCTION OR ADDITIONS** within the City of Caldwell limits.

Your permit application will require review and approval from each individual member of the Development Team. Your project will be assigned a Development Team Leader who will provide status updates and will serve as your point of contact. The Development Team contact information is listed below.

Development Team Contact Information

Planning and Zoning Codes Jarom Wagoner

(planning and zoning plan reviews and related inspections)
(208) 455-4662 jwagoner@cityofcaldwell.org



Engineering Codes Robb MacDonald

(engineering plan reviews and related inspections)
(208) 455-4682 rmacdonald@cityofcaldwell.org



Building Codes Chris Bryant

(building plan reviews, building inspections and mechanical inspections)
(208) 455-4756 cbryant@cityofcaldwell.org



Fire Codes Andy Cater

(fire inspections, fire sprinkler and monitor/alarm inspections, hood suppression system inspections)
(208) 455-4703 acater@cityofcaldwell.org



***Food-related establishments (i.e., restaurants, bars, markets, delis, snack bars, etc.) need to also contact Southwest District Health for Health District requirements

Your project will be assigned to one of the above four individuals to serve as your Team Leader.

All four individuals serve as your Development Team, but your assigned Team Leader will provide you with updates. In the event you are unable to reach your assigned Team Leader and there is an emergency, please contact one of the other Development Team Members listed above.

Code Information

Planning and Zoning Codes

Codes: located at www.sterlingcodifiers.com

Chapter 10, Article 2, Section 2	Land Use Schedule
Chapter 10, Article 2, Section 3	Height, Lot Line Setback and Lot Dimension Schedule
Chapter 10, Article 2, Section 5	Parking, Loading and Pedestrian Amenity Standards
Chapter 10, Article 2, Section 6	Sign Schedule
Chapter 10, Article 7 and Article 8	Landscaping Ordinance and Tree Ordinance
Chapter 10, Article 10	Transportation Policies and Practices
Chapter 10, Article 11	Airport Overlay Zones
Chapter 10, Article 12	City Center Zone Regulations

Engineering Codes

Codes: located at www.sterlingcodifiers.com

Chapter 4, Articles 1, 3, 5 and 7	Water and Sewer
Chapter 5	Streets and Sidewalks
Chapter 12, Article 17	Public Rights-of-way Improvements
Chapter 13, Article 1	Storm Drainage
Chapter 13, Article 3	Public Works Construction Standards
Chapter 13, Article 5	Access Control Standards

Supplemental Specifications: located at www.cityofcaldwell.com under the Engineering Department

Caldwell Municipal Stormwater Management Manual
 Caldwell Municipal Irrigation District Supplemental Specifications
 Supplemental Specifications to the 2003 Idaho Standards for Public Works Construction (ISPWC). (This standard is scheduled to be updated soon.)

Building and Fire Codes

Codes:

2012 International Building Code
 2017 National Electrical Code
 2012 International Mechanical Code
 2012 International Fuel Gas Code
 2017 Idaho State Plumbing Code/Uniform Plumbing Code
 2012 International Energy Conservation Code
 2012 International Fire Code
 ICC-ANSI A117.1- 2009
 NFPA Standards

Design Criteria:

Exposure - B
 Seismic Design Category - Based on Site Class
 Wind Loading - 90 miles per hour, 3-second gust
 Basic Ground Snow Load - 20 psf Min. Roof Snow Load – 25 psf
 Frost Depth - 24 inches
 Minimum Collateral Load - 5 pounds per square foot

Timelines and Submittal Guidelines

1. The goal of the Development Team is to issue a Complete Plan Review that includes Planning and Zoning, Building, Fire and Engineering comments/redlines within twelve (12) business days of the submittal date for a single building permit for new construction or an addition.
2. Applications must be complete, all attachments must be submitted with applications and all checklists must be completed in order for the Development Team to meet the above-stated goal.
3. **Applications that are submitted that aren't complete, that don't include all required attachments and/or that are missing items from the checklists will most likely not have a Complete Plan Review within 12 business days of the submittal date.**
4. **Issuance of the Building Permit will be dependent upon the design professional's response time to the Complete Plan Review and subsequent re-submittal and accuracy of any requested revisions indicated in the Complete Plan Review.**
5. All plans and calculations must be stamped and originally signed by the appropriate design professional (architect or engineer) who must be currently licensed in the State of Idaho.
6. All contractors must be currently licensed in the State of Idaho.
7. Plan review fees are paid at the time of submittal of the Building Permit Application.
8. A complete submittal includes:
 - a. **The completed Building Permit application and Checklist for Commercial Use.**
 - b. **The completed *Contractor Registration Declaration* form.**
 - c. **Complete Landscape Plan rolled into the Civil Engineering Plans.**
 - d. **Two complete sets of Building Plans**
 - e. **Two complete sets (rolled separately from the Building Plans) of the civil engineering construction drawings**
 - f. **One set of storm water calculations, originally signed and stamped by the engineer.**
 - g. **Two sets of Building calculations, specifications, etc.**
 - h. **One electronic copy of the Building Plans, both at the original submittal and again as a final submittal when all plans have been approved.**
9. Building permit fees (which include the building permit fee, impact fees, utility connection fees and engineering inspections fees) are paid when the building permit is issued.
10. Pre-construction meetings are scheduled once all fees are paid and the Building Permit has been issued and are scheduled by your assigned Team Leader from the Development Team.
11. Fire Sprinkler Systems, Fire Alarm/Monitoring Systems and Hood Suppression Systems are submitted on a separate application to the Building Department with separate fees.
12. Plumbing, electrical and mechanical permits are separate permit applications and separate fees that are submitted after the Building Permit has been obtained.

RANGE SHEET FOR BUILDING PERMIT FEE

I. Building Permit Fees

- A. Building Permit Fees shall be assessed based on the valuation of the work for which the Permit is required with a base fee associated with the value range of the work and a per-dollar increment for each dollar above the range minimum as given below:

FY2013 Fee Schedule

LOWER RANGE	UPPER RANGE	BASE RATE	Per-Dollar RATE
\$0	\$499	\$23.04	0
\$500	\$1,999	\$23.04	0.02624
\$2,000	\$24,999	\$64.37	0.01135
\$25,000	\$49,999	\$326.54	0.0085
\$50,000	\$99,999	\$549.65	0.00565
\$100,000	\$499,999	\$846.27	0.004546
\$500,000	\$999,999	\$2,755.45	0.004336
\$1,000,000	-	\$5,031.78	0.003650

II. Plan Review Fees

- A. Commercial building plan review fees shall be computed as sixty-five percent (65%) of the building permit fee;
- B. Commercial fire plan review fees shall be computed as twenty percent (20%) of the building permit fee;
- C. Commercial Planning and Zoning plan review fees shall be computed as ten percent (10%) of the building permit fee;
- D. Fire Sprinkler Plan Review fees shall be one hundred fifty dollars (\$150.00) plus three dollars and twenty-five cents (\$3.25) per sprinkler head.
- E. Fire Sprinkler Plan Review fees for plans with no (or under twenty) heads shall be three hundred dollars (\$300.00)
- F. Fire Alarm Plan Review fees with a complete National Fire Protection Association (NFPA) 72 system shall be one hundred fifty dollars (\$150.00) base fee plus two dollars and twenty-five cents (\$2.25) per device.
- G. Fire Sprinkler System Monitoring review shall be three hundred fifty dollars (\$350.00).
- H. Cooking Hood Fire Extinguishing System under National Fire Protection Association (NFPA) 97 fees shall be one hundred eighty-four dollars (\$184.00) per system.

- I. Residential building plan review fees shall be computed as twenty percent (20%) of the building permit fee.
- J. Residential Planning and Zoning plan review fee shall be computed as ten percent (10%) of the building permit fee;
- III. Hourly Inspection Rate
 - A. The hourly inspection rate will shall be forty-six dollars (\$46.00).
- IV. Sign Permit
 - A. Sign Building Permit fees shall be fifty percent (50%) of the valuation based permit fee given Section I. A. under the heading "*FY 2013 Fee Schedule*"
 - B. Sign Building Permit Review Fee shall be sixty-five percent (65%) of the Sign Building Permit fee.
 - C. Sign Planning and Zoning Review Fee shall be ten percent (10%) of the Sign Building Permit fee.
 - i. The Minimum combined Sign Building Permit and Review fee shall be sixty three dollars and sixty three cents. (\$63.63).
- V. Building Permit Fee Schedule Chart
- VI. The Building Permit Fee Schedule Chart and Building Valuation Table are attached hereto as Exhibits "A" and "B" respectively and are made a part hereof as if set forth in full setting forth fees enacted herein and rules for valuation concerning various buildings and types of buildings.

Non-Residential/Multi-Family Plan Review Checklist and Required Attachments

Building:

The following code analysis information **IS REQUIRED** on all commercial/non-residential/multi-family project plans submitted for review and approval:

Staff Only	Applicant Only		
___	___	Type of Construction	IBC Chapter 6
___	___	Occupancy Classification	IBC Chapter 3 and Table 508.3.3
___	___	Actual and Allowable Area	IBC 503, Table 503
___	___	Actual and Allowable Height	IBC 504 and Table 503
___	___	Actual and Allowable Stories	IBC 504 and Table 503
___	___	Occupant Load (per use)	IBC 1004 and Table 1004.1.1
___	___	Exits Required and Exits Provided	IBC 1004 and Table 1004.1.1 IBC 1014, 1027
___	___	Required fire resistance of exterior walls	IBC Table 602
___	___	Required opening protection	IBC Table 705.7
___	___	Fire resistive construction requirements	IBC Table 601
___	___	Special inspection(s) required	IBC Chapter 17
		(indicate the type of inspections and the name of the agency to perform the inspections)	
___	___	Code summary including all current adopted codes	
___	___	ComCheck Energy Analysis: stamped and signed by an Idaho-licensed Architect or Engineer (must be currently-licensed in Idaho)	
___	___	Site Plan:	
		Location of new and existing structures to remain with fully-dimensioned measurements to property lines, rights-of-way lines, and other structures;	
		Accessible route of travel from parking spaces to the building entrance and connecting to the public right-of-way OR an acceptable dispersal area;	
		Parking lot design including fully dimensioned space and aisle layout and detailed handicapped parking spaces.	
		Existing and proposed right-of-way areas with dimensions	
		Existing and proposed easements with type, location and dimensions	
		Setbacks	
___	___	Foundation Plan:	
		Stamped and signed by the Architect or Engineer preparing the structural calculations	
		Include all required structural steel reinforcing	
		Include all special inspection criteria	

___ ___ Floor Plan:

Include all exit schemes, exterior wall openings, door swings, use designations of each space/room, exit signage.

___ ___ Elevations: North, South, East West

___ ___ Building Sections and Details:

Sections of walls, fire-rated assemblies, stairways and floor/ceiling assemblies.
Details for all suspended ceilings, veneer or brick applications, etc.

___ ___ Room and Finish Schedules:

Include room finishes for ceilings, walls and floors.
Include schedules for all windows and doors, indicating type, size, safety glazing and door hardware.

___ ___ Structural Plans:

Stamped and signed by the Architect or Engineer preparing the structural calculations.
Roof framing plan, floor framing plan, header and beam schedules, strap locations, structural details, Shear walls, shear wall schedule, lintels, lintel schedule.
All other structural information as indicated in the calculations or required by the Plans Examiner.

___ ___ Conservation Elements:

Insulation R values, glazing U-Factors, glazing solar heat gain coefficient (SHGC) value, rough opening sizes, air sealing notes.

___ ___ Electrical Plans:

Exit signage; switching diagrams; lighting schedule with fixture, bulb and ballast type; number of bulbs per fixture; fixture wattage; exterior lighting bulb and ballast type; type of control.
Location of exit signage and emergency lighting shall coordinate with the floor plan or the reflected ceiling plan.

___ ___ Mechanical Plans:

Equipment schedule listing the make and model of the equipment and other information pertinent to compliance with IECC; duct insulation R-values; mechanical system control schematic; load calculations.
Information regarding all fire-rated penetrations, smoke dampers, fire dampers, etc.

___ ___ Plumbing Plans:

Plumbing plan; isometrics; grease/sand interceptor details; calculations to determine actual interceptor sizing according to the requirements in the Uniform Plumbing Code; sewer connection location; type and location of reduced pressure backflow device(s); gas line piping materials and calculations; water line piping layout and materials; drain/waste/vent piping layout and materials.

___ ___ Service Water Heating System

Piping R-values; circulation loop system controls; heat trap requirements.

___ ___ ADA Accessibility Information:

Show and define all disability ADA access features per current International Building Code, ANSI A117.1 (entrances, exits, door hardware, bathrooms, fixtures, accessible route)

- ___ ___ MSDS:
 - Two (2) copies of Material Safety Data Sheets (MSDS)
 - Location of on-site storage of chemicals, oils, gasoline, etc. shown on plans
 - Quantities of chemicals, oils, gasoline stored and/or produced on site

- ___ ___ Structural Engineering Calculations:
 - Two (2) sets of structural engineering calculations required for:
 - New construction
 - Additions
 - Structural improvements/remodels/retrofits within existing buildings
 - Must be stamped and signed by an engineer or architect currently licensed in Idaho.

- ___ ___ Detailed design of grease interceptor when required by Uniform Plumbing Code.

- ___ ___ Metal Building Drawings and Calculations:
 - Drawings and structural engineering calculations required for all pre-fabricated metal buildings.
 - Must be stamped and originally signed by an engineer or architect currently licensed in Idaho.

- ___ ___ Modular Buildings:
 - Must bear the State of Idaho insignia. If not, will have to meet IBC.
 - Structural engineering calculations required for the foundation design for all modular buildings, unless such buildings are classified and issued as "temporary", such as a temporary construction trailer.
 - Must be stamped and originally signed by an engineer or architect currently licensed in Idaho.
 - Buildings must be approved by the Department of Building Safety.

- ___ ___ Soils report:
 - Plot showing the location of the borings and/or excavations; complete record of the soil samples; record of the soil profile; elevation of the water table; recommendations for foundation type and design criteria, including but not limited to, bearing capacity of natural or compacted soil, provisions to mitigate the effects of expansive soils, mitigation of the effects of liquefaction differential settlement and varying soil strength, and the effects of adjacent loads, expected total and differential settlement, pile and pier foundation information in accordance with Section 1808; special design and construction provisions for footings or foundations founded on expansive soils; as necessary, compacted fill material properties and testing in accordance with Section 1803; recommendations for backfill of utility trenches; recommendations for asphalt pavement.

- ___ ___ All sheets (including structural plan sheets, foundation plan sheets, and structural engineering calculations) stamped and signed by the design professional (architect and/or engineer) who is currently licensed in the State of Idaho.

- ___ ___ Design professionals must be currently-licensed in Idaho.

ENGINEERING:

___ ___ Civil drawing sheets must be wet-stamped and originally signed by professional engineer currently Licensed in Idaho.

___ ___ Storm water drainage plans for both on-site and street/street right-of-way storm water.

Location and sizes of existing sewer and water mains, service lines and meters
 Corrugated metal pipe end section on discharge line
 Cross section of all drainage facilities
 Able to determine drainage directions from information provided (directional arrows provided)
 Drainage facilities do not conflict with other utilities

Provision for conveyance or disposal of roof drainage provided
 Storm water pre-treatment provided (i.e. sand/grease trap, sand/bio-filter, etc.)
 Drainage basin dimensions listed or noted
 Drainage basin drawn to scale on plans
 Drain rock specified and sand filter
 3-foot separate from bottom of drainage basin to max seasonal groundwater elevation on detail
 Bio-filter or pond cross-section detail shown
 Bio-filter vegetative cover shown or noted
 Main conveyance pipe 12" minimum
 Note stating: "The Contractor shall have plans stamped 'approved for construction' by the City of Caldwell Engineering Department on site at all times.
 Note stating: "Any change from the plans shall be approved by the designer and the City of Caldwell Engineering Department.
 Note stating: "The Contractor shall contact the City of Caldwell Engineering Department for inspection of All storm water facilities prior to the placement of filter fabric. Minimum 24-hour notice is required. Approval is contingent upon inspection."
 Note stating: "Operations and Maintenance of the storm water facilities outside of the public right-of-way are the responsibility of the owner or the applicable association for the life of the facilities."
 Note stating (if there is a soils or geotech report): "Separation from the bottom of the drainage facility to Seasonal high groundwater shall be a minimum of three feet. Contact engineer for revised drainage facility design if bottom of facility is within three feet of seasonal high groundwater elevation. Re-designed facility shall be approved by the Engineering Department.

___ ___ One (1) set of storm water calculations stamped and signed by professional engineer currently-licensed in Idaho. Calculations shall be free of arithmetic errors. Shall include design storm, percolation rate or other design criteria per Stormwater Management Manual.

Peak discharge rate and velocity through sand/grease traps calculated.
 Discharge rate 1 miners inch/acre – orifice (cap not glued)

___ ___ Public Street Improvements/Widening:

Location of right-of-way, both existing and to be dedicated
 Depth of sub-base, finish base and asphalt
 Location of striping
 Location of curb, gutter and sidewalk
 Depth of finish base and concrete
 Location and detail of pedestrian ramps

Location of street lights and type of street lights

___ ___ Pressurized irrigation system plans as per CMID Supplemental Specifications:

- Type, location and size of pipe
- Type of bedding and bedding depth of all pipe
- Types and locations of all fittings and valves
- Location of thrust blocks
- Indication of tracer wire placement
- Types and locations of air vacs, drains and services

___ ___ Water:

- Type, size and location of pipe,
- Type of bedding and bedding depth of all pipe
- Location and type of water taps, thrust blocks, fittings, blow-offs and valves
- Indication of tracer wire placement and warning tape placement
- Number of water services including size and location
- Location and size of water meters (must be in right-of-way or a dedicated easement)
- Location and dimensions of fire hydrant water lines

___ ___ Sewer:

- Type, size, elevation and location of pipe
- Type of bedding and bedding depth of pipe
- Location of manholes, existing and proposed
- Sewer location and proposed/existing connection to the main

___ ___ Metes and bounds legal descriptions and exhibits for any required right-of-way dedications and/or sewer/water easements and easements for fire hydrants and/or fire hydrant water lines to be dedicated.

___ ___ Completed Traffic Impact Study (contact Team Leader to determine if required)

___ ___ Flood Plain Designation and Requirements:

- No building of any kind is allowed in the Flood Way.
- Development Permits are required for any development in the Flood Plain.
- Zones A and AE require a Flood Elevation Certificate

FIRE:

___ ___ Location of all new and existing fire hydrants

___ ___ Location of all fire hydrant water lines, depth of pipe, size of pipe

___ ___ Location and type of all fire extinguishers

___ ___ Location, width, turning radii of all fire lanes and turn-arounds along with surface requirements

___ ___ Location and dimensions of riser room

___ ___ Location of FDC and remote FDC

___ ___ Location of standpipes

___ ___ Location of Knox key box(es)

___ ___ Location, color and size of street numbers on the building

- ___ ___ Listing of all hazardous materials, types and quantities and location of use or storage
- ___ ___ Include all MSDS sheets
- ___ ___ Location of all PIV

PLANNING AND ZONING:

- ___ ___ Completed Landscaping Plan
 - Street landscape buffers with widths clearly shown and all required trees, shrubs, ground cover
 - Buffers between different uses if applicable
 - Parking lot landscape buffer islands
 - Required pathways if applicable
 - Bicycle parking spaces
 - Minimum required parking spaces with dimensions shown
- ___ ___ Zoning Designation:
 - Note on the Site Plan.
 - City Center Zone has specific design criteria and may or may not require Design Review.
- ___ ___ Notation on the site plan as to Airport Overlay Zone: APO-1 or APO-2 or None.
 - If a Noise Sensitive Use in the APO-2 zone, note all Noise Mitigation Measures.
 - Noise sensitive uses are prohibited in the APO-1 zone.
 - Noise sensitive uses in the APO-2 will require an avigation easement.